

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8075	715/748,749,738,734,744;705/10,14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:13
L2	3325	(advertisement content ad advertising) with campaign	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:15
L3	284	assign\$4 same (advertisement content ad advertising) with campaign	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:15
L4	46	3 and download\$4 same (advertisement content ad advertising) with campaign	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:16
L5	45	4 and (calculat\$4 determin\$4 judg\$4) same (advertisement content ad advertising) with campaign	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:17
L6	533	generat\$4 near5 random near5 number same (content ad advertis\$7) same (select\$4 choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:18
L7	2	generat\$4 near5 random near5 number same (content ad advertis\$7) with campaign same (select\$4 choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:19
L8	0	determin\$4 with chance near4 value same random near4 number and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:19
L9	0	determin\$4 with chance near4 value same random near4 (number numeral) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:20

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	0	(assign\$4 with (ad advertis\$6 content) with campaign with spaces).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:22
L12	0	(assign\$4 with initial near2 share near value same content near5 campaigns).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:24
L13	0	(determin\$4 near4 chance near value with content near4 campaign same target\$4 near4 criteria).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:26
L14	3	(adjust\$4 near6 initial near value and generat\$4 near random near (numeral number)).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:27
L15	0	14 and (assign\$4 near5 content near4 campain\$4 same subset with number).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:29
L16	0	(select\$4 near4 subset with content near3 (campaigns advertising commerc\$4 ad advertisement) with assigned with generated with random near (number numeral)). CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:31

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

selecting OR picking OR choosing (content OR



[Advanced Search](#)
[Preferences](#)

Web Results 1 - 20 of about 40 for selecting OR picking OR choosing (content OR ad OR advertisement OR

Scholarly articles for selecting OR picking OR choosing (content OR ad OR advertisement OR campaigns) correspondig generated "random number"



Content-based image retrieval systems: A survey - Veltkamp - Cited by 131
User privacy issues regarding certificates and the TLS ... - Persiano - Cited by 22
Longitudinal and transversal structure functions in ... - Germaschewski - Cited by 5

[doc] Telecommunication Standardization Sector Document AVC-491b Study ...

File Format: Microsoft Word - [View as HTML](#)

NOTE: In field searches, the refence system is the **correspondig** field. ... To **generate a random number**, the shift register is first shifted as above and ...

ftp3.itu.int/av-arch/avc-site/1993-1996/AVC-491b.doc - [Similar pages](#)

SPIE Bookstore

The fluctuating phases are demodulated from the **generated** ... to those of **correspondig** rays traveling through the microscope under the design conditions. ...

bookstore.spie.org/index.cfm?fuseaction=DetailVolume&productid=2386&showabstracts=1
- 331k - [Cached](#) - [Similar pages](#)

[PDF] ANALYSIS OF THE INTERNET TOPOLOGY AND GENERATION MODELS by Juan ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

community has dismissed them and models to **generate** more realistic ... BGP allows each AS to choose its own administrative policy in **selecting** routes and ...

research.ac.upc.edu/CompNet/papers/tesis_JuanIvan.pdf - [Similar pages](#)

[PDF] Mobile IP Extensions for Multi-Hop Wireless Networks

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Specifically, the following "selection criteria" for **choosing** a foreign agent were implemented in the new extensions:. á. **Advertisement rate** ...

agent.cs.dartmouth.edu/papers/caripe:mobileip.pdf - [Similar pages](#)

ROOT version 3.02 Release Notes

Setting a smaller value makes the **picking** more precise but also more difficult. ...

generated until 3400 A.D. or extremely likely to be different. ...

root.cern.ch/root/html/examples/V3.02.txt.html - 291k - [Cached](#) - [Similar pages](#)

CINT ChangeLogs

With this change the code **generated** by TTree::MakeClass can be used on THbookFile. ... member fSplitLevel in TBranch with **correspondig** getter GetSplitLevel. ...

root.cern.ch/root/ChangeLog-cint.phtml?changelog-cint/ChangeLog-aj - 570k -

[Cached](#) - [Similar pages](#)

[[More results from root.cern.ch](#)]

[PDF] Using Reinforcement Learning Methods for Action Selection in ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the behavior of the agent in form of **selecting** the next basic ability to be ... The

correspondig hash function hash(s) for mapping a state key statekey to ...

robocup.rwth-aachen.de/files/publications/2005/Mausberg05thesis.pdf - [Similar pages](#)

[PS] UNU.RAN User Manual

File Format: Adobe PostScript

changing the distribution using the **correspondig** set calls, ... **Generate a random number** $U(0,1)$. 2. Find largest integer I such that $F(I) = P(X \leq I) \leq U$
statmath.wu-wien.ac.at/software/unuran/doc/unuran.ps - [Similar pages](#)

[PDF] [Studying Galaxy-Galaxy-Lensing Using Ray-Tracing Simulations](#)

File Format: PDF/Adobe Acrobat

campaigns is to use high-resolution N-body simulations of structure formation ... In the lower left panel, the **correspondig** z-space lens plane is displayed. ...
www.astro.uni-bonn.de/~hartlap/publ/thesis.pdf - [Similar pages](#)

[PDF] [Mobile IP Extensions for Multi-Hop Wireless Networks](#)

File Format: PDF/Adobe Acrobat - View as HTML

Foreign Agent's **Advertisement** Rate. 22. 4.1.2.
Number of Mobile Nodes in the Foreign Agent's ...
cmc.cs.dartmouth.edu/cmc/papers/caripe:mobileip.pdf - Supplemental Result -
[Similar pages](#)

[PDF] [WEWoRC 2005](#)

File Format: PDF/Adobe Acrobat

an IPv4 or an IPv6 address is required), and Random is a **random number generated** by the TPM. Whenever. an IP address collision occurs, a node can use the ...
www.cosic.esat.kuleuven.be/publications/article-585.pdf - [Similar pages](#)

[PDF] [arXiv:hep-lat/0206025 v1 21 Jun 2002](#)

File Format: PDF/Adobe Acrobat

which can take different values for different offsets **generated** by the ... **Choosing** offsets and paths to be included in the Dirac operator is a matter ...
arxiv.org/pdf/hep-lat/0206025 - [Similar pages](#)

[PS] [Chiral Measurements in Quenched Lattice QCD with Fixed Point Fermions](#)

File Format: Adobe PostScript

elds, which can take dierent values for dierent osets **generated** by the ... **Choosing** osets and paths to be included in the Dirac operator is a mat- ...
www.itp.unibe.ch/diploma_thesis/jorg/diss.ps - [Similar pages](#)

[PDF] [arXiv:hep-lat/0206025 v1 21 Jun 2002](#)

File Format: PDF/Adobe Acrobat

Choosing offsets and paths to be included in the Dirac operator is a matter ... on in all the production runs are **generated** exclusively with a ...
www.citebase.org/fulltext?format=application%2Fpdf&identifier=oai%3AarXiv.org%3Ahep-lat%2F0206025 - [Similar pages](#)

[PDF] [Elements of Queues and Performance Analysis of Computer Networks](#)

File Format: PDF/Adobe Acrobat

each state, i , converges to the **correspondig** expectation with probability one. ... tles into repeatedly visiting (with **random number** of slots between ...
www.utdallas.edu/~datta/CS6352/sp07/coursenotes/smallpagebook.pdf - [Similar pages](#)

[PHP Manual Stig Sæther BakkenAlexander AulbachEgon SchmidJim ...](#)

At the minimum that means it must **generate** a **Content**-type header. ... Invisible positions are needed if the annotation has no **correspondig** link in the ...
metacomp.stanford.edu/linux/php.txt - [Similar pages](#)

[lib4th 1-1-4+18 glossary](#)

FRANDOM (f1 -- f2) dvrandom ans float ret **random number** in range [0,f1), ... body>lfa (p1 -- p2 | 0) 'body2lfa' hidden ret lfa p2 **correspondig** to the ...
www.lxhp.in-berlin.de/l4gls.html.gz - 545k - [Cached](#) - [Similar pages](#)

[PS] TURBOMOLE

File Format: Adobe PostScript

generate your atomic coordinates by any tool or program you are familiar with, ... After **choosing** the coordinates to be deleted, a list of all ...

www.uni-koeln.de/themen/chemie/software/turbomole/DOK/DOK.ps - [Similar pages](#)

[PDF] The Second Baltic Conference on HUMAN LANGUAGE TECHNOLOGIES

File Format: PDF/Adobe Acrobat

Next, new **ad-hoc** regular expression based rules were added to the rule set. until the rule-**generated** pronunciations of the sample words matched their actual ...

www.ioc.ee/hlt2005/HLT2005.pdf - [Similar pages](#)

From: dond@mhv.net Date: Fri, 02 Jan 1998 22:11:41 GMT Subject: Re ...

ions were **generated** by Electrospray (ES) spraying a solution of the acid solved ... MS-Windows) that performs the **correspondig** calculations (ie calculating ...

web.chemistry.gatech.edu/~bostwick/stms/1998.txt - [Similar pages](#)

Result Page: 1 2 **Next**

Download [Google Pack](#): free essential software for your PC

selecting OR picking OR choosing (c

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google